



USB 3.0 DOCKING STATION



Quick Installation Guide
DA-70590

1. Check if your package includes all of the following: one main unit, one CD driver, one power adapter (5V 2A), one user manual, one quick installation guide, and one 1M USB 3.0AM to Micro USB cable



Panel description:



- (1) Micro USB 3.0
Connect this port to the USB 3.0 port of computer using the provided Micro USB 3.0 cable
- (2) HDMI Out
Connect this port to HDTV using a HDMI cable

- (3) Out LED
Indicates the status of the HDMI output
- (4) Ethernet
Connect this port to Ethernet router or Hub
- (5) Power LED
Indicates power status
- (6) DC/5V
Connect this jack to 5V/2A power adapter
- (7) MIC
Connect this port to Microphone device
- (8) Stereo
Connect this port to earphone device
- (9) USB 2.0
Connect this port to USB 2.0 device, such as
Keyboard, mouse, USB flash drive
- (10) USB 3.0
Connect this port to USB 3.0 device, such as USB 3.0 HDD
- (11) eSATA
Connect this port to eSATA device, such as
eSATA I (1.5G) / eSATA II (3G) HDD

- Put the CD driver in your CD-ROM devices, Reset Computer.
Connect Micro USB 3.0 female of the docking station to USB 3.0 port of computer using one provided cable.
Connect HDMI port to HDTV using one HDMI cable.
Connect Ethernet port to Ethernet or HUB.



Connect MIC, Stereo, USB 2.0/3.0, eSATA ports to computer peripheral devices



- Insert the DC side of 5V power supply into the main unit and then connect the AC side of the power supply into the wall outlet

