



USB-C Mini Charging Adapter 20W



Quick Installation Guide
DA-10060

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating, or using this product. Please keep this manual for future reference.

1. INTRODUCTION

The DIGITUS® MINI Charging Adapter is suitable for USB-C devices such as smartphones, tablets or notebooks and provides an output of up to 20W. Thanks to the super compact dimensions, the USB-C charger fits into any bag, making this charging adapter an ideal companion for everyday use. The integrated short circuit, surge and excess current protection provides added security. Furthermore, the integrated excess heat protection prevents potential overloads and damages to the charger or connected devices.

2. FEATURES

1. Compact charger for USB-C devices such as smartphones or tablets
2. Supports charging power of up to 20W - compatible with Power Delivery (PD 3.0)
3. Integrated surge protection / excess current protection / short circuit protection
4. Integrated overheating protection with auto-recovery for the highest degree of security
5. Ideal for use on the go thanks to compact dimensions
6. Housing made of fire-resistant material

3. SPECIFICATIONS

Input/output	
Input	100-240VAC 50/60Hz
Input Plug	EU plug
Output	5V/3A 9V/2.22A 12V/1.67A (20W Max)
Protection	
Over Current Protection	Yes
Over Voltage Protection	Yes
Over Load Protection	Yes
Short Circuit Protection	Yes
Over Temperature Protection	Yes
Performance	
Ripple And Noise	≤200mV
Efficiency	≥85%
Line Regulation	±5%
Mechanical	
Color	White
Size	30*29*68mm
weight	37g
Environmental	
Operating Temperature	0~25°C
Storage Temperature	-20 ~ 85°C
Operating Humidity	20% ~ 90% RH
Storage Humidity	5% ~ 95%
Certification	CE, RoHS ,
Limited Warranty	1 Year
User Manual	English Version

4. PACKAGE CONTENT

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton

- 1x USB-C Mini Charging Adapter
- 1x QIG (Quick Installation Guide)

5. OPEARTION

5.1 Operation Procedures

- Plug the DC connector of power adapter into a socket.
- Plug one USB connector of the cable into the interface of the charger and plug the other connector of the cable into the electronic device (Apple iPad, Google Chrome book, Apple iPhone, Samsung Smartphone, MP3, PC, etc.)
- Please pull the USB connector out after the electronic equipment's fully charged.

5.2 Operation Notes

- For optimum performance, please use the power adapter according to the user manual.
- Please plug the power adapter into socket whose voltage range should be 100~240VAC.
- Please unplug the power adapter after using.
- Note: Our products have protection functions and the two tips above are suggestions just for safety.
- Do not use the power adapter with an electronic product which is not in conformity with the specifications, to avoid any problems caused by specification mismatching.
- It's normal that power adapter will be a little overheated in the use process.
- When the power adapter stops working under over-current, over-temperature or short-circuit protection, please unplug the device after it automatically returns to work, then you need to check whether the device is compatible with this charger.
- Do not let the power adapter close to fire, such as stove, candles etc.
- Do not let the power adapter soak into liquid, such as swimming pool, bathtub, etc.
- Do not wash the power adapter with corrosive cleaner.
- If the power station cannot work properly, please contact the store or distributor in your area

6. CONNECTION DIAGRAM



- 1) Smartphone
- 2) Tablet

Hereby Assmann Electronic GmbH declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com
ASSMANN Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid
Germany

