



USB 3.1 Type C - SATA 3 adapter cable for 2.5" SSDs/HDDs



Quick Installation Guide

DA-70327 Rev.3

Description

This converter can be connected via USB Type-C™ interface to a PC or laptop. Therefore, different SATA devices with 22 pin SATA interface can be operated.

Specification

- **Connector:**
 - 1 x SuperSpeed USB 5 Gbps (USB 3.1 Gen 1) USB Type-C™ male
 - 1 x SATA 6 Gb/s 22 pin male
 - 1 x Micro USB 5 Pin
- **Chipset:** NS1068X
- For SATA HDD, SATA SSD, optical drive etc.
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Support Max. Capacity of SSD/HDD to 5TB
- **Data transfer rate up to:**
 - SuperSpeed USB 5 Gbps
 - Hi-Speed 480 Mbps
 - Full-Speed 12 Mbps
 - Low-Speed 1.5 Mbps
 - SATA 6 Gbps
- Plug & Play
- Length incl. connector: ca. 22cm

System requirements

Windows Vista/7/8/8.1/10.

Mac OS X 10.11, Linux Kernel 3.19

Google Chrome OS

PC or laptop with a free USB Type-C™ port

Package content

- USB 3.1 Type C - SATA 3 adapter cable
- User manual

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com

Assmann Electronic GmbH

Auf dem Schüffel 3

58513 Lüdenscheid

Germany

