DIGITUS®

VGA - HDMI Converter

Manual
DA-70473

1. Introduction

The Digitus VGA to HDMI Converter converts your analog VGA signal to a digital HDMI signal. The conversion enables you to easily connect devices having only a VGA port to an HDMI monitor, a TV set or a projector. The converter is equipped with a 3.5 mm audio jack since the VGA input can play back only a video signal. Any existing stereo signal is simultaneously converted and integrated into the HDMI signal. This makes it possible to play back the audio signals via HMDI on your TV set.

2. Features

1. Converts video and audio signals from VGA to HDMI
2. Connect older devices with a VGA port to TV sets, monitors or projectors with an HDMI port
3. Additional audio transmission (3.5 mm jack)
4. Power supply via USB
5. No software or driver installation is required
6. Max. resolution: Full HD 1920x1080p / 60Hz
7. Input: VGA + Stereo Audio
8. Output: HDMI
9. Cable length: 15 cm
10. HDMI transmission rate: 6.75 Gbps
11. Bandwidth 225 MHz/ 1.65 Gbps per channel (6.75 Gbps total)

12. The resolutions suitable for the converter depend on your device/ your graphics card
13. Dimensions: L 4.5 x W 4.5 x H 1.5 cm
14. Weight: 50 g
15. Color: black

3. Package Contents
- VGA - HDMI Converter
- Audio cable (3.5 mm), 1.0 m
- Micro USB cable, 1.0 m

4. Application Diagram

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com
Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid, Germany

CE