DIGITUS[®]/

USB 3.0 Type-C™ MULTIPORT ADAPTER



Manual DA-70838-1 Rev. 2

Description

 The USB-C™ HDMI Multiport Adapter lets you connect your MacBook or other computer with USB-C™ port to an HDMI monitor or projector display, while also connecting a standard USB device and a USB-C™ charging cable.

How to connect

- 1x USB3.0 Port Use the standard USB3.0 port to connect devices such as your flash drive or camera, or a USB cable for syncing and charging your iPhone, iPad or other smartphones. Up to 5Gbps data speeds lets you transfer an HD movie in seconds.
- 1x USB-C™ Port You can connect a charging cable to the USB-C™ port to charge your Notebook.
- 1x HDMI Port Transmits high-definition audio and video from computer or tablet to HDMI display for streaming and gaming with resolution up to Full 4K @ 30 Hz resolution (3840×2160)/2160p (4K) Ultra HD. Also, supports 1080p, 720p, 480p and other.
- Supports ARC
- Easy to use This USB-C™ to HDMI adapter supports Plug and Play, Hot Swap, easy to use and carry, and no driver is required.
- · No external software drivers required

Supported Systems

 MacBook (USB Type-C™) OS X system, Chromebook Pixel; Windows (10, 8, 8.1, 7)

Product Feature

1: HDMI Output: 2160p (4K) Ultra HD

2: USB3.0: 1 Port

3: USB Type-C™: 1 Port for power delivery

4: Material: Aluminum

5: Cable Length: 20cm

6: Dimension: 50.8*58*11mm

7: Weight: 62.6g

8: Chipset: CH7210

9: Operating Temperature: 0°C to 40°C (35°F to 100°F)

10: Operating Humidity: 20% RH to 80% RH

Package content

1x USB 3.0 Type-C™ Multiport Adapter

1x Manual



Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com

Assmann Electronic GmbH Auf dem Schüffel 3 58513 Lüdenscheid Germany

