



# 11-Port USB-C Dock, Grey, 2x HDMI, VGA



**Quick Installation Guide**

DA-70898

# 1. Product Introduction

The multifunctional DIGITUS® docking station has everything you need to create a fully equipped workplace. Via the 2x HDMI® and VGA port, you can extend your desktop to 3 additional monitors or connect projectors / TV devices. In combination with your existing screen, this allows you to clone your desktop on up to 4 displays or extend on up to 3 displays. Additionally, the docking station is equipped with a USB-C™ port which features Power Delivery (PD). This allows you to charge your connected notebook / tablet while in use. Three additional USB ports provide you with plenty of space to connect additional mobile devices, which can be charged while in use. Of course, other USB peripheral devices such as a mouse or keyboard can also be connected using the 3 USB 3.0 ports. Two card readers for SD/TF cards and MicroSD cards are also integrated, as a Gigabit Ethernet Port. This allows you to connect your notebook to the local network or Internet via the docking station using a network cable. The Desktop-Multi-Tool features are rounded off with a stereo audio jack. This allows you to use a microphone, speaker, or headset. With the multifunctional DIGITUS® docking station, you can extend your notebook, tablet or smartphone with just one USB-C™ port.

## 2. Features

1. 2 x HDMI® connection: 4K/30 Hz (3840 x 2160p)
2. 1 x VGA connection: Full HD (1920 x 1080, 60 Hz)
3. Triple display support - connect up to 3 displays simultaneously
4. Supports SST and MST Mode (Single Stream Transport mode / Multi Stream Transport mode)
5. Three simultaneous video output signals - resolution: SST / MST mode max. 1080p/60 Hz
6. 1 x USB-C™ plug: Connection with the host (notebook, tablet)
7. 1 x USB-C™ connection: Power Delivery 3.0 (100 W max.)
8. 3 x USB 3.0 connection: 5 Gbps, 4.5 W (5 V / 0.9 A)
9. 1 x SD card reader: 480 Mbps
10. 1 x MicroSD card reader: 480 Mbps
11. 1 x Gigabit Ethernet interface: 10/100/1000 Mbps
12. 1 x audio connection: 3.5 mm stereo (stereo-audio, microphone)
13. Plug and Play - no driver or app installation required
14. Operating systems: Windows 10/8/7 macOS® 9.X & 10.X, Linux, ChromeOS, Android, iOS®
15. Operating temperature: -40°C ~ 80°C
16. Connection cable length: 20 cm
17. Housing: Zinc plating with silicone surface
18. Dimensions: L 28 x B 8 x H 1,8cm
19. Weight: 286 g
20. Color: silver
21. Manufacturer's notice:

22. Not all USB-C™ ports support all functions of the USB Type-C™ standard. Make sure that your notebook's USB-C™ port supports the DisplayPort Alternate Mode (DP Alt Mode) as well as USB Power Delivery (PD).

### 3. Package Contents

- 1x USB-C™ Docking Station, 12-Port
- 1x QIG




### 4. Specifications

Cable length (with connector) (cm)	15-18cm
Material	Alloy
Interfaces stypes	3*USB3.0 A/F, Output Voltage: 5V, Data transmission speed: 5Gbps Max
	2*HDMI: Support resolution up to 3840*2160P 30Hz, 1080P 60Hz
	1*VGA: Support resolution up to 1920*1080P 60Hz
	1*TYPE-C/F: Support PD Charging 100W Max

	1*LAN: 10/100/1000Mbps
	1*TYPE-C/F: Only support PD 3.0 charging 100W Max
	1*C/F(Data)Output Voltage: 5V, Data transmission Speed: 5Gbps (depend on other factors)
	1*Audio Support audio input
Support the brand Model	<ol style="list-style-type: none"> <li>1. MacBook2015/2016/2017, MacBook Pro2016/2017</li> <li>2. DELL XPS13/15</li> <li>3. HP Spectre X360</li> <li>4. Google Chromebook Pixel</li> <li>5. Lenovo yoga900/910</li> <li>6. Samsung Chromebook Plus</li> <li>7. Asus ZenBook 13"</li> <li>8. HUAWEI MATEBOOK</li> <li>9. HUAWEI P20</li> <li>10. HUAWEI MATE 10</li> </ol>
Support System	Windows, Mac OS ,Android

## 5. Connection Diagram



1	audio connection	5	SD card & MicroSD
2	USB 3.0	6	Ethernet interface
3	HDMI	7	VGA connection
4	USB-C™ connection	8	USB-C™ plug

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

**[www.assmann.com](http://www.assmann.com)**

Assmann Electronic GmbH

Auf dem Schüffel 3

58513 Lüdenscheid

Germany

