

Certificate

No. **c9210b-25**

Customer:

ASSMANN Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid, Germany

Category 6

Test sample(s):

Balanced cord:
DIGITUS® CAT6 U-UTP Patch Cord
Part no.: DK-1617-XXX/Y

XXX = length
Y = colour

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)
IEC 61935-2 Ed.3.0 (2010-07)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

Balanced cord, Copper, Category 6

GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R9210b-25** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 21. February 2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



GHMT AG
In der Kolling 320
66450 Bexbach / Germany

P0 box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

Zertifikat

Nr. z9210b-25

Auftraggeber:

ASSMANN Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid, Deutschland

Kategorie 6

Prüfling(e):

Symmetrische Kupferschnur:
DIGITUS® CAT6 U-UTP Patchkabel
Art.-Nr.: DK-1617-XXX/Y

XXX = Länge
Y = Farbe

Bewertungsstandard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)
IEC 61935-2 Ed.3.0 (2010-07)

Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Bewertungsstandards ein.

Symmetrische Kupferschnur, Kategorie 6

GHMT Type Approval

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbereich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht Nr. **R9210b-25** und ist nur in Verbindung mit diesem gültig. Dieses Zertifikat ist nach Prüfdatum 24 Monate gültig.

Bexbach, 21. Februar 2025



Dipl.-Ing. Dirk Wilhelm
(Vorstandsvorsitzender)



GHMT AG

In der Kolling 320
D-66450 Bexbach

Postfach 11 16
D-66442 Bexbach

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de