

# Certificate

No. **z5644c-19-E**

**Customer:**

Assmann Electronic GmbH  
Auf dem Schüffel 3  
58513 Lüdenscheid, Germany

**Category 6A**

**Test sample(s):**

Patchcord:  
**DIGITUS® CAT6A S-FTP Patch Cable, LSZH, AWG26/7**  
Part no.: DK-1644-A-xxx/x

xxx=length & /x= color

**Applied standard(s):**

ISO/IEC 11801-1 Ed.1.0 (2017-11)  
IEC 61935-2 Ed.3.0 (2010-07)

**Result(s):**

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

## Patchcord, Copper, Category 6A

# GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **P5644c-19-E** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of issue.

Bexbach, 14. February 2020



Dirk Wilhelm, engineer  
(Chairman of the Managing Board)



Test laboratory accredited by DAKKS in accordance with DIN EN ISO/IEC 17025.  
The accreditation is valid for the test methods listed in certificate **D-PL-17559-01-00**.

**GHMT AG**

In der Kolling 320  
66450 Bexbach / Germany

P0 box 11 16  
66442 Bexbach / Germany

T: +49 6826 92 28-0  
F: +49 6826 92 28-290

info@ghmt.de  
www.ghmt.de

**RELIABILITY IN TOTAL  
REQUIRES ACCURACY IN DETAIL.**

# Zertifikat

Nr. z5644c-19-D

## Auftraggeber:

Assmann Electronic GmbH  
Auf dem Schüffel 3  
58513 Lüdenscheid, Deutschland

## Kategorie 6A

## Prüfling(e):

Patchkabel:  
**DIGITUS® CAT6A S-FTP Patch Cable, LSZH, AWG26/7**  
Art.-Nr.: DK-1644-A-xxx/x

xxx=Länge & /x Farbe

## Bewertungsstandard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)  
IEC 61935-2 Ed.3.0 (2010-07)

## Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Bewertungsstandards ein.

## Patchkabel, Kupfer, Kategorie 6A

# GHMT Type Approval

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbereich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht Nr. **P5644c-19-D** und ist nur in Verbindung mit diesem gültig. Dieses Zertifikat ist nach Ausstelldatum 24 Monate gültig.

Bexbach, 14. Februar 2020



Dipl.-Ing. Dirk Wilhelm  
(Vorstandsvorsitzender)



## GHMT AG

In der Kolling 320  
D-66450 Bexbach

Postfach 11 16  
D-66442 Bexbach

T: +49 6826 92 28-0  
F: +49 6826 92 28-290

info@ghmt.de  
www.ghmt.de