

## DIGITUS<sup>®</sup> Unmounted Network Cabinets



- ✓ 1.5 mm strong sheet steel
- ✓ Safety class IP20
- ✓ Unmounted flat-pack delivery
- ✓ Available in color grey and black

### Abstract

DIGITUS<sup>®</sup> Unmounted Network Cabinets, 600 mm width - 600, 800 mm depth, unmounted flat-pack delivery

### Features












- 1.5 mm strong sheet steel
- Air ventilation slots for active and passive ventilation
- Safety class IP20
- Glass front door with lockable swing frame lever
- Lockable steel rear panel
- Load capacity of 19" profile: 600 kg
- 19" profile rails for the front the rear side of the cabinet
- 19" profile rails adjustable in depth and with height unit marking
- Cable entry in center of bottom with sliding cable entry panel with black cellular rubber seal on bottom
- Roof is ready for fan units
- incl. 4 pieces of leveling feet
- Rack is completely unmounted and delivered in flat-pack
- Large range of equipment available

### Product Overview

The unmounted 19" cabinets are completely disassembled. This will save space and reduce shipping costs. Delivery takes place in a wooden box which ensures a safe transportation. With parts easy to identify and the attached mounting instruction you will finish the installation quick and without problems. The cabinets are suitable for all standard IT telecommunication applications and will fit into every office or data center due to the modern design.

## Flat-Pack Delivery



	x 1 pcs.		x 1 pcs.		x 2 pcs.		x 12 pcs.
	x 1 pcs.		x 1 pcs.		x 4 pcs.		x 24 pcs.
	x 2 pcs.						x 12 pcs.
							x 4 pcs.


## Product Number Information

DN-19 22U-6/6-EC	22U network cabinet, unmounted, 1121x600x600 mm, color grey (RAL 7035)
DN-19 22U-6/6-EC-B	22U network cabinet, unmounted, 1121x600x600 mm, color black (RAL 9005)
DN-19 32U-6/6-EC	32U network cabinet, unmounted, 1565x600x600 mm, color grey (RAL 7035)
DN-19 32U-6/6-EC-B	32U network cabinet, unmounted, 1565x600x600 mm, color black (RAL 9005)
DN-19 42U-6/6-EC	42U network cabinet, unmounted, 2010x600x600 mm, color grey (RAL 7035)
DN-19 42U-6/6-EC-B	42U network cabinet, unmounted, 2010x600x600 mm, color black (RAL 9005)
DN-19 22U-6/8-EC	22U network cabinet, unmounted, 1121x600x800 mm, color grey (RAL 7035)
DN-19 22U-6/8-EC-B	22U network cabinet, unmounted, 1121x600x800 mm, color black (RAL 9005)
DN-19 32U-6/8-EC	32U network cabinet, unmounted, 1565x600x800 mm, color grey (RAL 7035)
DN-19 32U-6/8-EC-B	32U network cabinet, unmounted, 1565x600x800 mm, color black (RAL 9005)
DN-19 42U-6/8-EC	42U network cabinet, unmounted, 2010x600x800 mm, color grey (RAL 7035)
DN-19 42U-6/8-EC-B	42U network cabinet, unmounted, 2010x600x800 mm, color black (RAL 9005)

## Technical Drawings




FRONT VIEW




SIDE VIEW





REAR VIEW




TOP VIEW



BOTTOM VIEW



MAX/STD/MIN/EQUIPMENT  
MOUNTING DISTANCE



DIMENSIONS  
IN  
WIDTH HEIGHT