

Cable Management Rings for 483 mm (19") Cabinets



Easy installation

✓ sturdy steel sheet

🖌 set= 10 pieces

available in color grey and black

Abstract

Cable management rings for 483 mm (19") cabinets, color grey (RAL 7035) or black (RAL 9005)

Features

- for installation on the 483 mm (19") profile rails
- available in three sizes
- sturdy steel sheet
- delivery as a set with 10 pieces
- incl. fixing material
- available in color grey (RAL 7035) and black (RAL 9005)

Product Overview

The cable management rings keep your 483 mm (19") cabinet organized.

This sturdy steel sheet construction offers a flexible and perfect solution for structured cabling. The delivery content includes 10 cable management rings as well as the needed fixing material.

Product Number Information

ltem code	Color	Product dimensions (HxWxD) in mm
DN-19 ORG-1	Grey (RAL 7035)	45x60x44 mm
DN-19 ORG-1-SW	Black (RAL 9005)	45X00X44 11111
DN-19 ORG-2	Grey (RAL 7035)	45x110x44 mm
DN-19 ORG-2-SW	Black (RAL 9005)	45X110X44 mm
DN-19 ORG-3-1	Grey (RAL 7035)	
DN-19 ORG-3-SW	Black (RAL 9005)	/0X150X44 11111

Logistic Data


Item code	Packaging dimensions (HxWxD) in mm	Net weight in kg	Gross weight in kg
DN-19 ORG-1	50x145x100 mm	0.065 kg	0.8 kg
DN-19 ORG-1-SW	50X145X100 11111		
DN-19 ORG-2	50x280x160 mm	0.055 kg	0.9 kg
DN-19 ORG-2-SW			
DN-19 ORG-3-1	90x200x160 mm	0.092 kg	1.1 kg
DN-19 ORG-3-SW			


Assmann Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid, Germany, info@assmann.com, printing errors, falsities and technical changes remain reserved




DIGITUS® - Professional -


DN-19 ORG-1 & DN-19 ORG-1-SW








DN-19 ORG-2 & DN-19 ORG-2-SW







Assmann Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid, Germany, info@assmann.com, printing errors, falsities and technical changes remain reserved



DN-19 ORG-3-1 & DN-19 ORG-3-SW





Assmann Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid, Germany, info@assmann.com, printing errors, falsities and technical changes remain reserved