

Certificate

No. **c8113a-23**

Customer:

Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid, Germany

Class Ea

Test sample(s):

data cable:
DIGITUS® Cat.7A S/FTP Installation Cable, 1500 MHz
Part no.: DK-174X-A-VH

connecting hardware:
DIGITUS® Cat.6A Keystone Module, shielded
Part no.: DN-93615; DN-93617; DN-93619

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

2 Connector Permanent Link, Copper, Class Ea

GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R8113a-23** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 25.07.2023



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



GHMT AG

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

*Test laboratory accredited by DAKKS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate **D-PL-17559-01-00**.*

**RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.**

Zertifikat

Nr. z8113a-23

Auftraggeber:

Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid, Deutschland

Prüfling(e):

Symmetrisches Kupferkabel:
DIGITUS® Cat.7A S/FTP Verlegekabel, 1500 MHz
Art.-Nr.: DK-174X-A-VH

Steckverbinder:

DIGITUS® Cat.6A Keystone Modul, geschirmt
Art.-Nr.: DN-93615; DN-93617; DN-93619

Klasse EA

Bewertungsstandard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)

Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Bewertungsstandards ein.

2 Connector Permanent Link, Kupfer, Klasse EA

GHMT Type Approval

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbereich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht Nr. **R8113a-23** und ist nur in Verbindung mit diesem gültig. Dieses Zertifikat ist nach Prüfdatum 24 Monate gültig.

Bexbach, 25.07.2023



Dipl.-Ing. Dirk Wilhelm
(Vorstandsvorsitzender)



GHMT AG

In der Kolling 320
D-66450 Bexbach

Postfach 11 16
D-66442 Bexbach

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**HOCHVERFÜGBARKEIT IM GANZEN
BEDINGT PRÄZISION IM DETAIL.**