

ASSMANN ELECTRONIC GmbH

ASSMANN System Guarantee

DIGITUS[®] Copper Cabling System

Appendix A – Solutions eligible for guarantee cover

Table of contents

1. Solutions eligible for guarantee cover
2. Approved permanent links
3. Installations comprising multi-class/multi-category components
4. Elements of solutions eligible for guarantee cover
5. Item overview solutions

1. Solutions eligible for guarantee cover

The DIGITUS[®] Copper Cabling System is composed of the DIGITUS[®] cable types in combination with the DIGITUS[®] connection elements as listed below.

Guarantee coverage is limited to DIGITUS[®] copper cabling systems;

it does not extend to combinations of unshielded and shielded components.

2. Approved permanent links

In general, the guarantee will only be granted for the "permanent link" of the installation link.

Standards:

Class D EN-50173-1:2011; ISO/IEC 11801:2002/A2:2010
CAT 5e TIA/EIA 568 C. 2-10

Class E EN 50173-1:2011; ISO/IEC 11801:2002/A2:2010
CAT 6 TIA/EIA 568 C. 2-10

Class Ea EN20173-1:2011; ISO/IEC 11801:2002/A2:2010
CAT 6A TIA/EIA 568 C. 2-10

EN (CENELEC) (European Committee for Electrotechnical Standardization)
ISO/IEC (International Organization for Standardization, International Electrotechnical Commission)


TIA/EIA (Telecommunications Industry Association, Electronic Industries Association)

3. Installations including multi-class/category components

Mixed usage of DIGITUS[®] copper components means that the ASSMANN system guarantee will be granted based on the lowest category or class of the components used.

4. Elements of solutions eligible for guarantee cover

Permanent Link
Permanent Link



5. Item overview solutions

Installation cables			Cabeling link (permanent link)	
Item number	Category	Shielding	Class	Category
DK-174X-A-VH-X	7A	S-FTP	FA; F; EA; E; D	6A; 6; 5e
DK-174X-A-VH-X	7A	S-FTP	FA; F; EA; E; D	6A; 6; 5e
DK-162X-A-VH-X	6A	F-UTP	EA; E; D	6A; 6; 5e
DK-161X-A-VH-X	6A	U-UTP	EA; E; D	6A; 6; 5e
DK-162X-VH-X	6	U-FTP	E; D	6; 5e
DK-161X-VH-X	6	U-UTP	E; D	6; 5e
DK-153X-V-X	5e	S-FTP	D	5e
DK-152X-V-X	5e	F-UTP	D	5e
DK-151X-V-X	5e	U-UTP	D	5e

Keystone modules			Permanent link	
Item number	Category	Shielding	Class	Category
DN-93816	8	STP	I	8.1
DN-93617	6A	FTP	EA; E; D	6A; 6; 5e
DN-93615	6A	FTP	EA; E; D	6A; 6; 5e
DN-93606	6A	UTP	EA; E; D	6A; 6; 5e
DN-93619-24	6A	STP	EA; E; D	6A; 6; 5e
DN-93601	6	FTP	E; D	6; 5e
DN-93603	6	UTP	E; D	6; 5e
DN-93612-1	6	FTP	E; D	6; 5e
DN-93501	5e	UTP	D	5e
DN-93502	5e	UTP	D	5e
DN-93512	5e	FTP	D	5e

Data outlets			Permanent link	
Item number	Category	Shielding	Class	Category
DN-9007-1	6A	FTP	EA; E; D	6A; 6; 5e
DN-9007-S-1	6A	FTP	EA; E; D	6A; 6; 5e
DN-9008-1	6A	FTP	EA; E; D	6A; 6; 5e
DN-9010/8-1	6A	FTP	EA; E; D	6A; 6; 5e
DN-9010/8-2	6A	FTP	EA; E; D	6A; 6; 5e
DN-9006-N	6	FTP	E; D	6; 5e
DN-9006/B5-N	6	FTP	E; D	6; 5e

DN-9005-N	6	FTP	E; D	6; 5e
DN-9002-N	5e	FTP	D	5e
DN-9001-N	5e	FTP	D	5e

Patch field			Permanent link	
Item number	Category	Shielding	Class	Category
DN-91608S-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91608S-SL-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91612S-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91612S-EA-G	6A	FTP	EA; E; D	6A; 6; 5e
DN-91612S-SL-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91612SD-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91624S-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91624S-EA-B	6A	FTP	EA; E; D	6A; 6; 5e
DN-91624S-SL-EA	6A	FTP	EA; E; D	6A; 6; 5e
DN-91624S-SL-EA-G	6A	FTP	EA; E; D	6A; 6; 5e
DN-91608S	6	FTP	E; D	6; 5e
DN-91608SD	6	FTP	E; D	6; 5e
DN-91624S	6	FTP	E; D	6; 5e
DN-91624S-SL-SH	6	FTP	E; D	6; 5e
DN-91612S	6	FTP	E; D	6; 5e
DN-91616S-B	6	FTP	E; D	6; 5e
DN-91624U	6	UTP	E; D	6; 5e
DN-91624U-SL-SH	6	UTP	E; D	6; 5e
DN-91648U	6	UTP	E; D	6; 5e
DN-91524S	5e	FTP	D	5e
DN-91524U	5e	UTP	D	5e

