



# Outdoor 2-Port PoE++ extender, IEEE802.3bt



## Quick Installation Guide DN-95126

### Introduction

The DIGITUS® outdoor PoE++ extender is a PoE extender in a weatherproof housing with the IP67 protection class. The housing is very sturdy and conforms to the IK10 vandalism protection class. The PoE++ extender offers the extension of the network signal by another 100m between the switch and PoE terminal devices such as IP surveillance cameras or access points without additional power supply. The PoE++ extender requires no settings to be made thanks to plug and play.

### Package Contents


- 1x PoE extender
- 1x Quick Installation Guide

## Important:

1. Install the device in a ventilated and dry place, that is free of electromagnetic source, vibration, moisture, and dust.
2. Make sure the ventilation openings on the extender are not blocked.
3. Use CAT5 or 6 UTP/STP cables. Avoid using low-quality cables, which will seriously limit the cabling distance.

NOTE: There are power losses due to cable resistance.

## Connection



## Led Definitions

<b>PoE IN</b>	Green ON	LAN: Data is being transmitted or received
	Yellow ON	PWR: PoE IN port is connected to PSE
	OFF	No connection
<b>Power OUT#</b>	Green ON	LAN: Data is being transmitted or received
	Yellow ON	PWR: PoE OUT port is connected to PD
	OFF	No connection

## Dip Switch Definitions

<b>DIP#</b>	ON	Turn on PoE output for the PoE out port
	OFF	Turn off PoE output for the PoE out port

This is a Class A product. In home environment, this product may cause radio interference. In this case, the user may be required to take appropriate measures.

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

**www.assmann.com**  
Assmann Electronic GmbH  
Auf dem Schüffel 3  
58513 Lüdenscheid  
Germany

