


# USB 3.0, 4-PORT PCI EXPRESS ADD-ON CARD



User Manual DS-30221 Rev 2.0

### Features

- Fully compliant with PCI Express Base Specification Revision 2.0
- Single-lane (x1) PCI Express throughput rates up to 5Gbps
- Compliant with Universal Serial Bus 3.0 specification Revision 1.0
- Supports simultaneous operation of multiple USB 3.0, USB 2.0 and USB 1.1 devices Supports the following speed data rates as follows: Low-speed (1.5Mbps) / Full-speed (12Mbps) / High-speed (480Mbps) / Super-speed (5Gbps)
- Supports 4 downstream ports for all speeds
- Built-in 4-pin power connector for receiving extra power supply from system
- Hot-swapping feature allows you to connect/disconnect devices without powering down the system
- Support Windows<sup>®</sup> XP/Vista/7/8/10 (32/64 bit)


# System Requirements

- Windows<sup>®</sup> XP/Vista/7/8/10 (32/64 bit)
- One available PCI Express slot (Recommend PCI Express 2.0)

### Package Contents

- 1 x USB 3.0 4-Port PCI Express Card
- 1 x Driver CD
- 1 x User Manual

### Hardware Description



#### Hardware Installation

- 1. Turn Off the power to your computer.
- 2. Unplug the power cord and remove your computer's cover.
- 3. Remove the slot bracket from an available PCIe slot.
- 4. To install the card, carefully align the card's bus connector with the selected PCIe slot on the motherboard. Push the board down firmly.
- 5. Replace the slot bracket's holding screw to secure the card.
- 6. Replace the computer cover and reconnect the power cord.

#### Driver Installation For Windows<sup>®</sup> XP/Vista/Win7/8/10 (32/64 bit)

- 1. Please insert the CD driver bound with USB 3.0 4-Port PCI Express Card into your CD-ROM Drive.
- 2. Follow the on-screen instructions to complete the installation.

## To Verify Driver Installation

Click on the **"Device Manager"** tab in System Properties, which you access from the Windows Control Panel. You should see a "VIA USB 3.0 Root Hub" and a "**VIA USB eXtensible Host Controller**" under the "**Universal Serial Bus controllers**" item.

Hereby ASSMANN Electronic GmbH, declares that this device is in compliance with the requirements of Directive 2014/30/EU and the Directive 2011/65/EU for RoHS compliance. The complete declaration of conformity can be requested by post under the below mentioned manufacturer address. **Warning:** 

This device is a class B product. This equipment may cause some radio interference in living environment. In this case, the user can be requested to undertake appropriate measures to prevent interference.

#### www.assmann.com

Assmann Electronic GmbH Auf dem Schüffel 3 58513 Lüdenscheid Germany

