

4-PORT USB TRAVEL CHARGER



(EU, US, UK)

Quick Installation Guide

31809

Basic Parameter

Weight	185g
Dimension	72x57x28(mm)
Input	110-240VAC 50/60Hz
Output	5V4.8A(each USB is 2.4A max)
Available plugs	EU,UK,US interchangeable plugs
Certification	CE、CB、FCC、UL、PSE

Charging method

Select the plug what you need according the different market.

Step 1

Step 4





Step 5











- 1) Use your USB charging cables to connect to the USB output of the charger, while connecting the other sides with your devices.
- 2) Plug into the socket among 110-240V, the charger is ready when the devices indicate in charging status
- 3) There are 4 ports USB, the total current is 4.8A, each port is 2.4A max. The charging speed will be affected by devices total required current. You can charge 4 devices at the same time in general.
 - 2.1A output is ideal for a tablet PC, 1.0A output is ideal for a smartphone.

USB1	&	USB3	
lane.			
USB2	8	USB4	
Each USI 4 USB Po		:2.4A Max 8A Max	

Suitable for

It is suitable for iPad[®]/iPhone[®]/iPod[®], Samsung and other Android smartphones, tablet PC's, portable speakers, power banks, cameras, GPS, etc.

Maintain: Your product possess of perfect quality.

To extend the product life, please do as followings.

- 1. Keep dry and keep away from damp and erosive goods
- 2. Don't disassemble the product
- 3. Don't store it under over-hot or over-cold environment
- 4. Don't knock or crash the product

All of the products have been tested and verified. If it occurs over-hot, out of shape, breakage or other abnormal cases, please stop to use and contact your vendor.